


T-Plugs

T-Plugs are an excellent option when you need a low-cost, effective product to protect tubing ends, threads and ports during shipping and storage. The tapered design goes on easily and stays put.

Features

Fits most SAE type fittings, NPT threads, JIC/UNF and BSP thread fittings and unthreaded standard weight pipe plug.

Can be used as cap or a plug, standard colour is red



Part Number	A	B	C	D	E	F
14-T005-NEW	2.95	4.62	1.35	3.05	9.65	7.87
14-T010-NEW	3.68	5.21	2.01	3.81	9.65	10.42
14-T015-NEW	4.39	6.10	2.82	4.50	9.65	9.65
14-T017-NEW	4.75	6.37	3.15	4.98	8.76	9.45
14-T018-NEW	5.31	6.76	3.76	5.38	8.81	11.05
14-T020-NEW	5.99	7.67	4.42	6.10	9.65	11.18
14-T025-NEW	6.78	8.51	5.21	6.93	9.65	11.94
14-T030-NEW	7.59	9.27	5.97	7.67	9.65	12.70
14-T040-NEW	8.38	10.06	6.78	8.46	9.65	13.46
14-T045-NEW	9.17	10.85	7.57	9.27	9.65	14.22
14-T055-NEW	9.91	11.58	8.31	10.01	9.65	14.99
14-T060-NEW	10.64	12.32	9.04	10.72	9.65	16.00
14-T065-NEW	11.35	13.03	9.78	11.46	9.65	16.76
14-T070-NEW	11.96	13.89	10.39	12.32	11.18	17.53
14-T075	12.70	14.63	11.18	13.11	11.18	18.29
14-T080	13.51	15.44	11.89	13.84	11.18	19.05
14-T085	13.54	14.27	12.12	12.85	5.59	17.27
14-T090	13.97	16.03	12.37	14.43	11.94	19.05
14-T100	14.73	16.94	13.16	15.37	12.70	20.57
14-T105	15.49	17.65	13.94	16.10	12.70	21.34
14-T110	16.26	18.47	14.68	16.87	12.70	22.35
14-T120	17.15	19.18	15.57	17.60	12.70	22.35
14-T125	17.53	20.02	15.95	18.44	14.22	23.88
14-T130	18.42	20.90	16.84	19.33	14.22	24.64
14-T140	19.05	21.54	17.45	19.94	14.22	25.40
14-T145	20.37	23.14	18.80	21.56	16.00	26.92


T-Plugs - New Part Number Conversion Chart

T-Plugs are an excellent option when you need a low-cost, effective product to protect tubing ends, threads and ports during shipping and storage. The tapered design goes on easily and stays put.

Features

Fits most SAE type fittings, NPT threads, JIC/UNF and BSP thread fittings and unthreaded standard weight pipe plug.

Can be used as cap or a plug, standard colour is red



Part Number	A	B	C	D	E	F
14-T150	20.70	23.62	19.13	22.05	16.00	27.69
14-T163	22.02	24.66	20.50	23.11	18.16	28.70
14-T165	21.99	24.77	20.40	23.16	16.00	28.70
14-T167M	22.5	25.5	20.0	23.3	17.8	28.9
14-T170	23.24	26.42	21.72	24.89	17.53	29.46
14-T180	24.49	27.69	22.89	26.09	19.05	31.75
14-T183	24.99	26.77	23.19	25.10	11.89	31.83
14-T185	25.27	29.08	23.70	27.51	19.05	33.27
14-T190	27.79	30.86	26.19	29.26	19.05	35.81
14-T200	29.85	32.61	28.27	31.04	16.00	36.58
14-T205	31.09	34.42	29.49	32.82	19.05	38.10
14-T210	31.37	34.54	29.79	32.97	20.57	38.10
14-T215	32.64	34.19	31.17	32.72	9.65	37.34
14-T220	33.32	37.21	31.72	35.61	22.35	41.40
14-T225	31.47	38.28	29.69	36.50	19.05	41.40
14-T240	36.75	40.64	35.15	39.04	22.35	44.45
14-T245	38.43	40.64	36.86	39.04	12.70	44.45
14-T247	38.51	40.67	36.98	39.14	18.19	44.53
14-T250	39.62	42.72	38.05	41.15	19.05	47.75
14-T255	41.40	44.45	39.83	42.88	19.05	49.28
14-T265	44.45	47.75	42.88	46.18	19.05	50.80
14-T270	45.24	45.85	43.74	44.35	9.65	50.80
14-T275	45.21	49.53	43.64	47.96	25.40	54.10
14-T280	46.84	50.80	45.24	49.23	25.40	54.10
14-T285	48.26	52.73	46.66	51.13	25.40	57.15
14-T295	50.17	54.15	48.59	52.58	25.40	57.15


T-Plugs - New Part Number Conversion Chart

T-Plugs are an excellent option when you need a low-cost, effective product to protect tubing ends, threads and ports during shipping and storage. The tapered design goes on easily and stays put.

Features

Fits most SAE type fittings, NPT threads, JIC/UNF and BSP thread fittings and unthreaded standard weight pipe plug.

Can be used as a cap or a plug, standard colour is red



Part Number	A	B	C	D	E	F
14-T300	51.18	54.53	49.61	52.95	19.05	58.67
14-T305	52.50	56.97	50.93	55.40	25.40	61.98
14-T310	53.98	61.11	52.40	59.54	25.40	64.26
14-T315	54.25	58.72	52.68	57.15	25.40	65.02
14-T320	56.64	57.40	55.07	55.83	12.70	63.50
14-T325	58.37	62.59	56.77	60.99	25.40	66.80
14-T330	58.60	67.31	57.02	65.74	31.75	70.61
14-T335	60.83	66.09	59.26	64.52	26.16	71.37
14-T340	62.41	69.85	60.83	68.28	25.40	73.15
14-T345	62.99	67.16	61.42	65.58	16.00	70.61
14-T350	64.90	68.33	63.32	66.75	16.00	73.15
14-T355	67.08	70.87	65.51	69.29	19.05	74.68
14-T360	70.10	76.33	68.20	74.85	25.40	80.01
14-T365	72.36	75.69	70.79	74.12	19.05	82.55
14-T370	75.57	78.82	74.04	77.24	19.05	84.84
14-T375	75.74	82.42	73.96	80.65	25.40	85.85
14-T380	78.49	85.60	76.71	83.82	25.40	88.90
14-T385	83.06	90.47	81.28	88.70	28.70	93.73
14-T390	84.46	87.81	82.42	85.78	19.05	92.20
14-T395	88.14	91.44	86.61	89.92	19.05	98.55
14-T405	93.47	96.52	91.69	94.74	19.05	101.60
14-T407M	92.1	97.0	88.3	94.0	32.0	100.00
14-T410	96.27	99.57	94.23	97.54	19.05	104.65
14-T412NM*	98.0	102.0	94.8	98.5	24.7	107.2
14-T415	99.82	103.38	98.04	101.60	19.05	111.25
14-T420	102.11	105.16	100.08	103.38	19.05	115.06
14-T430	108.46	112.52	106.17	110.24	22.35	123.95
14-T435	111.00	117.35	108.97	115.32	25.40	127.00
14-T450M	146.8	151.0	142.8	148.6	33.0	159.5

*Clear

T-Plugs to fit BSP & JIC Fittings Male / Female

T-Plugs are an excellent option when you need a low-cost, effective product to protect tubing ends, threads and ports during shipping and storage. The tapered design goes on easily and stays put.

Features

Fits most SAE type fittings

NPT threads, JIC/UNF and BSP thread fittings and unthreaded standard weight pipe.

Can be used as a cap or a plug.

Standard colour is Red.

Other sizes available up to 4"



Quick find chart : Match your fitting size to our T-plug part number

BSP Sizes

Part Number	Female	Male
14-T040 New	1/8	-
14-T045 New	-	-
14-T060 New	-	1/8
14-T065 New	1/4	-
14-T070 New	-	-
14-T080	-	1/4
14-T090	-	-
14-T100	3/8	-
14-T110	-	3/8
14-T130	1/2	-
14-T140	-	-
14-T145	-	1/2
14-T150	-	-
14-T183	3/4	-
14-T185	-	3/4
14-T200	1	-
14-T205	-	-
14-T215	-	1

JIC Sizes

Part Number	Female	Male
14-T040 New	-	-
14-T045 New	7/16	-
14-T060 New	-	7/16
14-T065 New	-	-
14-T070 New	9/16	-
14-T080	-	-
14-T090	-	9/16
14-T100	-	-
14-T110	3/4	-
14-T130	-	3/4
14-T140	7/8	-
14-T145	-	-
14-T150	-	7/8
14-T183	1-1/16	-
14-T185	-	1-1/16
14-T200	1-5/16	-
14-T205	-	1-5/16
14-T215	-	-